


# KEL-DPZ CR multi-membrane cable entry plates

for the use in cleanrooms / up to IP66 / UL Type 12



KEL-DPZ CR cable entry plates are designed to route and seal a large number of cables without connectors, hoses or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The KEL-DPZ CR products are a cost and time saving alternative to traditional cable glands.

The assembly of the KEL-DPZ CR with cables or pneumatic hoses can be done quickly and easily. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ CR provides strain relief and protection up to IP66 / UL type 12.

The KEL-DPZ CR matches exactly the cut-out dimensions of 6-, 16- and 24-pin standard industrial connectors. The size KEL-DPZ-B CR fits on cut-outs 46 × 46 mm. The very compact size KEL-DPZ-E CR is designed for routing cables in very small space. Through a cut-out of only 18 × 112 mm, up to 21 cables can be easily routed and sealed.

Especially for Rittal KL / KX terminal boxes the size KEL-DPZ-KX/KL CR (IP65) was created. It was designed for routing up to 72 cables through the pre-cut standard cut-out. The self-tapping screws required for assembly are included in the scope of delivery.

**The products with article ending .600 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1. The materials used for these products have been tested and certified for outgassing according to VOC/SVOC (ISO 14644-8; ISO 16000-6,-9,-11,-25, VDI 2083 sheet 17).**

**The products with the article ending .601 are tested and certified for particle emission for cleanroom class 1 according to ISO 14644-1.**

IP54



RoHS compliant

IP55



IP64



Made in Germany

IP65



IP66




## Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66
UL Type (UL 50E)	UL Type 12
Material	Elastomer Base frame: Polyamide Base frame: Stainless steel (V2A)
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Screw type mounting


## Product types & sizes

## Advantages & benefits


- Fast mounting
- High cable density
- Certified protection up to IP66 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Hygienic design - free of dirt-collecting recesses
- Space-saving shape

**KEL-DPZ 24|14 CR gy**


Part No.	<b>43700.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327315</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>14</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b> <b>4 x 16 - 22 mm</b>

**KEL-DPZ 24|14 CR (S)VOC gy**


Part No.	<b>43700.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327148</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>14</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b> <b>4 x 16 - 22 mm</b>

**KEL-DPZ 24|14 CR (S)VOC bk**


Part No.	<b>50700.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327223</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>14</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b> <b>4 x 16 - 22 mm</b>

**KEL-DPZ 24|14 CR bk**


Part No.	<b>50700.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327407</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>14</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b> <b>4 x 16 - 22 mm</b>

**KEL-DPZ 24|15 CR (S)VOC gy**

Part No.	<b>43720.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327186</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>15</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>15 x 7.2 - 12 mm</b>


**KEL-DPZ 24|15 CR gy**

Part No.	<b>43720.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327360</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>15</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>15 x 7.2 - 12 mm</b>

**KEL-DPZ 24|15 CR  
(S)VOC bk**


Part No. **50720.600**  
EAN **4251269327278**  
Package quantity **5**  
For max. no. of cables **15**  
Max. cable diameter **12 mm**  
Colour **black**  
Length **147 mm**

Width **58 mm**  
Height **14 mm**  
Mounting height **14 mm**  
Cut-out size **112 x 36 mm**  
No. of screw holes **4**  
Diam. of screw holes **5,9 mm**  
Clamping range **15 x 7.2 - 12 mm**

**KEL-DPZ 24|15 CR bk**


Part No. **50720.601**  
EAN **4251269327452**  
Package quantity **5**  
For max. no. of cables **15**  
Max. cable diameter **12 mm**  
Colour **black**  
Length **147 mm**

Width **58 mm**  
Height **14 mm**  
Mounting height **14 mm**  
Cut-out size **112 x 36 mm**  
No. of screw holes **4**  
Diam. of screw holes **5,9 mm**  
Clamping range **15 x 7.2 - 12 mm**

**KEL-DPZ 24|16 CR gy**


Part No. **43725.601**  
EAN **4251269327377**  
Package quantity **5**  
For max. no. of cables **16**  
Max. cable diameter **22 mm**  
Colour **grey (similar RAL 7035)**  
Length **147 mm**

Width **58 mm**  
Height **14 mm**  
Mounting height **14 mm**  
Cut-out size **112 x 36 mm**  
No. of screw holes **4**  
Diam. of screw holes **5,9 mm**  
Clamping range **8 x 3.2 - 6.5 mm**  
**4 x 5 - 9.7 mm**  
**2 x 9 - 16.2 mm**  
**2 x 16 - 22 mm**

**KEL-DPZ 24|16 CR  
(S)VOC gy**


Part No. **43725.600**  
EAN **4251269327193**  
Package quantity **5**  
For max. no. of cables **16**  
Max. cable diameter **22 mm**  
Colour **grey (similar RAL 7035)**  
Length **147 mm**

Width **58 mm**  
Height **14 mm**  
Mounting height **14 mm**  
Cut-out size **112 x 36 mm**  
No. of screw holes **4**  
Diam. of screw holes **5,9 mm**  
Clamping range **8 x 3.2 - 6.5 mm**  
**4 x 5 - 9.7 mm**  
**2 x 9 - 16.2 mm**  
**2 x 16 - 22 mm**


**KEL-DPZ 24|16 CR  
(S)VOC bk**

Part No. **50725.600**  
EAN **4251269327285**  
Package quantity **5**  
For max. no. of cables **16**  
Max. cable diameter **22 mm**  
Colour **black**  
Length **147 mm**


Width **58 mm**  
Height **14 mm**  
Mounting height **14 mm**  
Cut-out size **112 x 36 mm**  
No. of screw holes **4**  
Diam. of screw holes **5,9 mm**  
Clamping range **8 x 3.2 - 6.5 mm**  
**4 x 5 - 9.7 mm**  
**2 x 9 - 16.2 mm**  
**2 x 16 - 22 mm**

**KEL-DPZ 24|16 CR bk**


Part No.	<b>50725.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327469</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>16</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>8 × 3.2 - 6.5 mm</b>
			<b>4 × 5 - 9.7 mm</b>
			<b>2 × 9 - 16.2 mm</b>
			<b>2 × 16 - 22 mm</b>

**KEL-DPZ 24|17 CR (S)VOC gy**


Part No.	<b>43705.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269325458</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>17</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>16,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>6 × 3.2 - 6.5 mm</b>
			<b>6 × 5 - 10.2 mm</b>
			<b>5 × 9 - 16.2 mm</b>

**KEL-DPZ 24|17 CR gy**


Part No.	<b>43705.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327322</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>17</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>16,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>6 × 3.2 - 6.5 mm</b>
			<b>6 × 5 - 10.2 mm</b>
			<b>5 × 9 - 16.2 mm</b>

**KEL-DPZ 24|17 CR (S)VOC bk**


Part No.	<b>50705.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327230</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>17</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>16,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>6 × 3.2 - 6.5 mm</b>
			<b>6 × 5 - 10.2 mm</b>
			<b>5 × 9 - 16.2 mm</b>

**KEL-DPZ 24|17 CR bk**


Part No.	<b>50705.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327414</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>17</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>16,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>6 × 3.2 - 6.5 mm</b>
			<b>6 × 5 - 10.2 mm</b>
			<b>5 × 9 - 16.2 mm</b>

**KEL-DPZ 24|25 CR gy**


Part No.	<b>43710.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327339</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>25</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>12 x 3.2 - 6.5 mm</b> <b>7 x 4.8 - 9.7 mm</b> <b>6 x 7.5 - 12 mm</b>

**KEL-DPZ 24|25 CR (S)VOC gy**


Part No.	<b>43710.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327155</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>25</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>12 x 3.2 - 6.5 mm</b> <b>7 x 4.8 - 9.7 mm</b> <b>6 x 7.5 - 12 mm</b>

**KEL-DPZ 24|25 CR (S)VOC bk**


Part No.	<b>50710.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327247</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>25</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>12 x 3.2 - 6.5 mm</b> <b>7 x 4.8 - 9.7 mm</b> <b>6 x 7.5 - 12 mm</b>

**KEL-DPZ 24|25 CR bk**


Part No.	<b>50710.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327421</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>25</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>12 x 3.2 - 6.5 mm</b> <b>7 x 4.8 - 9.7 mm</b> <b>6 x 7.5 - 12 mm</b>

**KEL-DPZ 24|26 CR (S)VOC gy**


Part No.	<b>43711.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327162</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>26</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>10,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>26 x 5 - 10.2 mm</b>

**KEL-DPZ 24|26 CR gy**


Part No.	<b>43711.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327346</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>26</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>10,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>26 x 5 - 10.2 mm</b>

**KEL-DPZ 24|26 CR bk**


Part No.	<b>50711.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327438</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>26</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>10,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>26 x 5 - 10.2 mm</b>

**KEL-DPZ 24|26 CR (S)VOC bk**


Part No.	<b>50711.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327254</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>26</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>10,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>26 x 5 - 10.2 mm</b>

**KEL-DPZ 24|32 CR (S)VOC gy**


Part No.	<b>43730.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327209</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>32</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>21 x 3.2 - 6.5 mm</b> <b>8 x 5 - 10.2 mm</b> <b>3 x 7.5 - 12 mm</b>

**KEL-DPZ 24|32 CR gy**

Part No.	<b>43730.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327384</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>32</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>21 x 3.2 - 6.5 mm</b> <b>8 x 5 - 10.2 mm</b> <b>3 x 7.5 - 12 mm</b>

**KEL-DPZ 24|32 CR bk**

Part No.	<b>50730.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327476</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>32</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>21 x 3.2 - 6.5 mm</b> <b>8 x 5 - 10.2 mm</b> <b>3 x 7.5 - 12 mm</b>

**KEL-DPZ 24|32 CR (S)VOC bk**


Part No.	<b>50730.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327292</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>32</b>	Cut-out size	<b>112 × 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>21 x 3.2 - 6.5 mm</b> <b>8 x 5 - 10.2 mm</b> <b>3 x 7.5 - 12 mm</b>

**KEL-DPZ 24|42 CR gy**

Part No.	<b>43715.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327353</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>42</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>

**KEL-DPZ 24|42 CR (S)VOC gy**


Part No.	<b>43715.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327179</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>42</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>

**KEL-DPZ 24|42 CR (S)VOC bk**


Part No.	<b>50715.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327261</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>42</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>

**KEL-DPZ 24|42 CR bk**


Part No.	<b>50715.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327445</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>42</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>42 x 3.2 - 6.5 mm</b>

**KEL-DPZ 24|121 CR (S)VOC gy**


Part No.	<b>43735.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327216</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>121</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>119 x 1.5 - 2.6 mm 2 x 2.5 - 5 mm</b>

**KEL-DPZ 24|121 CR gy**


Part No.	<b>43735.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327391</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>121</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>119 x 1.5 - 2.6 mm 2 x 2.5 - 5 mm</b>

**KEL-DPZ 24|121 CR bk**


Part No.	<b>50735.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327483</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>121</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>119 x 1.5 - 2.6 mm</b> <b>2 x 2.5 - 5 mm</b>

**KEL-DPZ 24|121 CR (S)VOC bk**


Part No.	<b>50735.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327308</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>121</b>	Cut-out size	<b>112 x 36 mm</b>
Max. cable diameter	<b>5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,9 mm</b>
Length	<b>147 mm</b>	Clamping range	<b>119 x 1.5 - 2.6 mm</b> <b>2 x 2.5 - 5 mm</b>

**KEL-DPZ 16|11 CR (S)VOC gy**


Part No.	<b>43815.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327544</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>11</b>	Cut-out size	<b>86 x 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>11 x 7.5 - 12 mm</b>

**KEL-DPZ 16|11 CR gy**

Part No.	<b>43815.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327643</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>11</b>	Cut-out size	<b>86 x 36 mm</b>
Max. cable diameter	<b>12 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>11 x 7.5 - 12 mm</b>


**KEL-DPZ 16|14 CR gy**

Part No.	<b>43816.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327650</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>14</b>	Cut-out size	<b>86 x 36 mm</b>
Max. cable diameter	<b>16,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>5 x 3.2 - 6.5 mm</b> <b>5 x 5 - 10.2 mm</b> <b>4 x 9 - 16.2 mm</b>

**KEL-DPZ 16|14 CR (S)VOC gy**


Part No.	<b>43816.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327551</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>14</b>	Cut-out size	<b>86 x 36 mm</b>
Max. cable diameter	<b>16,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,8 mm</b>
Length	<b>120 mm</b>	Clamping range	<b>5 x 3.2 - 6.5 mm</b> <b>5 x 5 - 10.2 mm</b> <b>4 x 9 - 16.2 mm</b>



**KEL-DPZ 16|20 CR gy**


Part No. **43817.601**  
 EAN **4251269327667**  
 Package quantity **5**  
 For max. no. of cables **20**  
 Max. cable diameter **12 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **120 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **86 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Clamping range **11 x 3.2 - 6.5 mm**  
**5 x 5 - 10.2 mm**  
**4 x 7.5 - 12 mm**

**KEL-DPZ 16|20 CR (S)VOC gy**


Part No. **43817.600**  
 EAN **4251269327568**  
 Package quantity **5**  
 For max. no. of cables **20**  
 Max. cable diameter **12 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **120 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **86 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Clamping range **11 x 3.2 - 6.5 mm**  
**5 x 5 - 10.2 mm**  
**4 x 7.5 - 12 mm**

**KEL-DPZ 16|25 CR gy**

Part No. **43818.601**  
 EAN **4251269327674**  
 Package quantity **5**  
 For max. no. of cables **25**  
 Max. cable diameter **12 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **120 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **86 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Clamping range **16 x 3.2 - 6.5 mm**  
**6 x 5 - 10.2 mm**  
**3 x 7.5 - 12 mm**

**KEL-DPZ 16|25 CR (S)VOC gy**


Part No. **43818.600**  
 EAN **4251269327575**  
 Package quantity **5**  
 For max. no. of cables **25**  
 Max. cable diameter **12 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **120 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **86 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Clamping range **16 x 3.2 - 6.5 mm**  
**6 x 5 - 10.2 mm**  
**3 x 7.5 - 12 mm**

**KEL-DPZ 16|34 CR gy**


Part No. **43819.601**  
 EAN **4251269327681**  
 Package quantity **5**  
 For max. no. of cables **34**  
 Max. cable diameter **6,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **120 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **86 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Clamping range **34 x 3.2 - 6.5 mm**

**KEL-DPZ 16|34 CR (S)VOC gy**

Part No. **43819.600**  
 EAN **4251269327582**  
 Package quantity **5**  
 For max. no. of cables **34**  
 Max. cable diameter **6,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **120 mm**

Width **58 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 Cut-out size **86 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Clamping range **34 x 3.2 - 6.5 mm**


**KEL-DPZ 6|12 CR  
(S)VOC gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43809.600**  
**4251269327490**  
**5**  
**12**  
**8 mm**  
**grey (similar RAL 7035)**  
**85,5 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**54 mm**  
**7,5 mm**  
**7,5 mm**  
**52 x 36 mm**  
**4**  
**4,5**  
**12 x 4.5 - 8 mm**


**KEL-DPZ 6|12 CR gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43809.601**  
**4251269327599**  
**5**  
**12**  
**8 mm**  
**grey (similar RAL 7035)**  
**85,5 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**54 mm**  
**7,5 mm**  
**7,5 mm**  
**52 x 36 mm**  
**4**  
**4,5**  
**12 x 4.5 - 8 mm**


**KEL-DPZ 6|18 CR gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43812.601**  
**4251269327612**  
**5**  
**18**  
**6,5 mm**  
**grey (similar RAL 7035)**  
**85,5 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**54 mm**  
**7,5 mm**  
**7,5 mm**  
**52 x 36 mm**  
**4**  
**4,5**  
**18 x 3.2 - 6.5 mm**


**KEL-DPZ 6|18 CR  
(S)VOC gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43812.600**  
**4251269327513**  
**5**  
**18**  
**6,5 mm**  
**grey (similar RAL 7035)**  
**85,5 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**54 mm**  
**7,5 mm**  
**7,5 mm**  
**52 x 36 mm**  
**4**  
**4,5**  
**18 x 3.2 - 6.5 mm**


**KEL-DPZ 6|18-1 CR gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length

**43811.601**  
**4251269327605**  
**5**  
**18**  
**8 mm**  
**grey (similar RAL 7035)**  
**85,5 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range

**54 mm**  
**7,5 mm**  
**7,5 mm**  
**52 x 36 mm**  
**4**  
**4,5**  
**7 x 4.5 - 8 mm**  
**5 x 3.2 - 6.5 mm**  
**6 x 2.5 - 5 mm**


**KEL-DPZ 6|18-1 CR  
(S)VOC gy**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Colour  
Length


**43811.600**  
**4251269327506**  
**5**  
**18**  
**8 mm**  
**grey (similar RAL 7035)**  
**85,5 mm**

Width  
Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Clamping range


**54 mm**  
**7,5 mm**  
**7,5 mm**  
**52 x 36 mm**  
**4**  
**4,5**  
**7 x 4.5 - 8 mm**  
**5 x 3.2 - 6.5 mm**  
**6 x 2.5 - 5 mm**

**KEL-DPZ 6|23 CR gy**


Part No.	<b>43813.601</b>	Width	<b>54 mm</b>
EAN	<b>4251269327629</b>	Height	<b>7,5 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>7,5 mm</b>
For max. no. of cables	<b>23</b>	Cut-out size	<b>52 x 36 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>4,5</b>
Length	<b>85,5 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b> <b>13 x 2.5 - 5 mm</b>

**KEL-DPZ 6|23 CR (S)VOC gy**


Part No.	<b>43813.600</b>	Width	<b>54 mm</b>
EAN	<b>4251269327520</b>	Height	<b>7,5 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>7,5 mm</b>
For max. no. of cables	<b>23</b>	Cut-out size	<b>52 x 36 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>4,5</b>
Length	<b>85,5 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b> <b>13 x 2.5 - 5 mm</b>

**KEL-DPZ 6|27 CR gy**


Part No.	<b>43814.601</b>	Width	<b>54 mm</b>
EAN	<b>4251269327636</b>	Height	<b>7,5 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>7,5 mm</b>
For max. no. of cables	<b>27</b>	Cut-out size	<b>52 x 36 mm</b>
Max. cable diameter	<b>5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>4,5</b>
Length	<b>85,5 mm</b>	Clamping range	<b>27 x 2.5 - 5 mm</b>

**KEL-DPZ 6|27 CR (S)VOC gy**


Part No.	<b>43814.600</b>	Width	<b>54 mm</b>
EAN	<b>4251269327537</b>	Height	<b>7,5 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>7,5 mm</b>
For max. no. of cables	<b>27</b>	Cut-out size	<b>52 x 36 mm</b>
Max. cable diameter	<b>5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>4,5</b>
Length	<b>85,5 mm</b>	Clamping range	<b>27 x 2.5 - 5 mm</b>

**KEL-DPZ-B 13 CR (S)VOC gy**

Part No.	<b>43794.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327711</b>	Height	<b>10 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>13</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>8 x 3.2 - 6.5 mm</b> <b>4 x 5 - 10.2 mm</b> <b>1 x 16 - 22 mm</b>


**KEL-DPZ-B 13 CR gy**

Part No.	<b>43794.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327834</b>	Height	<b>10 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>13</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>22 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>8 x 3.2 - 6.5 mm</b> <b>4 x 5 - 10.2 mm</b> <b>1 x 16 - 22 mm</b>

**KEL-DPZ-B 13 CR bk**


Part No. **50794.601**  
 EAN **4251269327889**  
 Package quantity **5**  
 For max. no. of cables **13**  
 Max. cable diameter **22 mm**  
 Colour **black**  
 Length **72,8 mm**

Width **58 mm**  
 Height **10 mm**  
 Mounting height **10 mm**  
 Cut-out size **46 × 46 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **8 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**1 x 16 - 22 mm**

**KEL-DPZ-B 13 CR (S)VOC bk**


Part No. **50794.600**  
 EAN **4251269327766**  
 Package quantity **5**  
 For max. no. of cables **13**  
 Max. cable diameter **22 mm**  
 Colour **black**  
 Length **72,8 mm**

Width **58 mm**  
 Height **10 mm**  
 Mounting height **10 mm**  
 Cut-out size **46 × 46 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **8 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**1 x 16 - 22 mm**

**KEL-DPZ-B 17 CR gy**


Part No. **43796.601**  
 EAN **4251269327841**  
 Package quantity **5**  
 For max. no. of cables **17**  
 Max. cable diameter **16,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **72,8 mm**

Width **58 mm**  
 Height **10 mm**  
 Mounting height **10 mm**  
 Cut-out size **46 × 46 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **10 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**2 x 7.5 - 12 mm**  
**1 x 9 - 16.2 mm**

**KEL-DPZ-B 17 CR (S)VOC gy**


Part No. **43796.600**  
 EAN **4251269327728**  
 Package quantity **5**  
 For max. no. of cables **17**  
 Max. cable diameter **16,2 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **72,8 mm**

Width **58 mm**  
 Height **10 mm**  
 Mounting height **10 mm**  
 Cut-out size **46 × 46 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **10 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**2 x 7.5 - 12 mm**  
**1 x 9 - 16.2 mm**


**KEL-DPZ-B 17 CR bk**

Part No. **50796.601**  
 EAN **4251269327896**  
 Package quantity **5**  
 For max. no. of cables **17**  
 Max. cable diameter **16,2 mm**  
 Colour **black**  
 Length **72,8 mm**


Width **58 mm**  
 Height **10 mm**  
 Mounting height **10 mm**  
 Cut-out size **46 × 46 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **10 x 3.2 - 6.5 mm**  
**4 x 5 - 10.2 mm**  
**2 x 7.5 - 12 mm**  
**1 x 9 - 16.2 mm**

**KEL-DPZ-B 17 CR  
(S)VOC bk**


Part No.	<b>50796.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327773</b>	Height	<b>10 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>17</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>16,2 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>10 x 3.2 - 6.5 mm</b>
			<b>4 x 5 - 10.2 mm</b>
			<b>2 x 7.5 - 12 mm</b>
			<b>1 x 9 - 16.2 mm</b>

**KEL-DPZ-B 25 CR  
(S)VOC gy**


Part No.	<b>43798.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327735</b>	Height	<b>10 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>25</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>25 x 3.2 - 6.5 mm</b>

**KEL-DPZ-B 25 CR gy**

Part No.	<b>43798.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327858</b>	Height	<b>10 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>25</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>grey (similar RAL 7035)</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>25 x 3.2 - 6.5 mm</b>

**KEL-DPZ-B 25 CR bk**

Part No.	<b>50798.601</b>	Width	<b>58 mm</b>
EAN	<b>4251269327902</b>	Height	<b>10 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>25</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>25 x 3.2 - 6.5 mm</b>

**KEL-DPZ-B 25 CR  
(S)VOC bk**

Part No.	<b>50798.600</b>	Width	<b>58 mm</b>
EAN	<b>4251269327780</b>	Height	<b>10 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>10 mm</b>
For max. no. of cables	<b>25</b>	Cut-out size	<b>46 x 46 mm</b>
Max. cable diameter	<b>6,5 mm</b>	No. of screw holes	<b>4</b>
Colour	<b>black</b>	Diam. of screw holes	<b>5,7 mm</b>
Length	<b>72,8 mm</b>	Clamping range	<b>25 x 3.2 - 6.5 mm</b>

**KEL-DPZ-E 112|7 CR  
gy**

Part No.	<b>43780.601</b>	Width	<b>29 mm</b>
EAN	<b>4251269327810</b>	Height	<b>14 mm</b>
Package quantity	<b>5</b>	Mounting height	<b>14 mm</b>
For max. no. of cables	<b>7</b>	No. of screw holes	<b>2</b>
Max. cable diameter	<b>12 mm</b>	Diam. of screw holes	<b>5,7 mm</b>
Colour	<b>grey (similar RAL 7035)</b>	Clamping range	<b>7 x 7.5 - 12 mm</b>
Length	<b>147 mm</b>		

**KEL-DPZ-E 112|7 CR  
(S)VOC gy**

Part No. **43780.600**  
 EAN **4251269327698**  
 Package quantity **5**  
 For max. no. of cables **7**  
 Max. cable diameter **12 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **147 mm**

Width **29 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 No. of screw holes **2**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **7 x 7.5 - 12 mm**

**KEL-DPZ-E 112|7 CR  
bk**


Part No. **50780.601**  
 EAN **4251269327865**  
 Package quantity **5**  
 For max. no. of cables **7**  
 Max. cable diameter **12 mm**  
 Colour **black**  
 Length **147 mm**

Width **29 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 No. of screw holes **2**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **7 x 7.5 - 12 mm**

**KEL-DPZ-E 112|7 CR  
(S)VOC bk**


Part No. **50780.600**  
 EAN **4251269327742**  
 Package quantity **5**  
 For max. no. of cables **7**  
 Max. cable diameter **12 mm**  
 Colour **black**  
 Length **147 mm**

Width **29 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 No. of screw holes **2**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **7 x 7.5 - 12 mm**

**KEL-DPZ-E 112|21 CR  
gy**

Part No. **43790.601**  
 EAN **4251269327827**  
 Package quantity **5**  
 For max. no. of cables **21**  
 Max. cable diameter **6,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **147 mm**

Width **29 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 No. of screw holes **2**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **21 x 3.2 - 6.5 mm**

**KEL-DPZ-E 112|21 CR  
(S)VOC gy**

Part No. **43790.600**  
 EAN **4251269327704**  
 Package quantity **5**  
 For max. no. of cables **21**  
 Max. cable diameter **6,5 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **147 mm**

Width **29 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 No. of screw holes **2**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **21 x 3.2 - 6.5 mm**

**KEL-DPZ-E 112|21 CR  
bk**


Part No. **50790.601**  
 EAN **4251269327872**  
 Package quantity **5**  
 For max. no. of cables **21**  
 Max. cable diameter **6,5 mm**  
 Colour **black**  
 Length **147 mm**

Width **29 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 No. of screw holes **2**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **21 x 3.2 - 6.5 mm**

**KEL-DPZ-E 112|21 CR  
(S)VOC bk**


Part No. **50790.600**  
 EAN **4251269327759**  
 Package quantity **5**  
 For max. no. of cables **21**  
 Max. cable diameter **6,5 mm**  
 Colour **black**  
 Length **147 mm**

Width **29 mm**  
 Height **14 mm**  
 Mounting height **14 mm**  
 No. of screw holes **2**  
 Diam. of screw holes **5,7 mm**  
 Clamping range **21 x 3.2 - 6.5 mm**

**KEL-DPZ-KX/KL 72 CR gy**


Part No. **43675.001.601**  
 EAN **4251269327919**  
 Package quantity **1**  
 For max. no. of cables **72**  
 Max. cable diameter **22 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **221 mm**

Width **90 mm**  
 Height **4 mm**  
 Mounting height **4 mm**  
 Cut-out size **192 x 62 mm**  
 No. of screw holes **6**  
 Diam. of screw holes **5,1 mm**  
 Clamping range **42 x 3.2 - 6.5 mm**  
**21 x 5 - 10.2 mm**  
**6 x 9 - 16.2 mm**  
**3 x 16 - 22 mm**

**KEL-DPZ-KX/KL 72 CR (S)VOC gy**


Part No. **43675.001.600**  
 EAN **4251269327797**  
 Package quantity **1**  
 For max. no. of cables **72**  
 Max. cable diameter **22 mm**  
 Colour **grey (similar RAL 7035)**  
 Length **221 mm**

Width **90 mm**  
 Height **4 mm**  
 Mounting height **4 mm**  
 Cut-out size **192 x 62 mm**  
 No. of screw holes **6**  
 Diam. of screw holes **5,1 mm**  
 Clamping range **42 x 3.2 - 6.5 mm**  
**21 x 5 - 10.2 mm**  
**6 x 9 - 16.2 mm**  
**3 x 16 - 22 mm**

**KEL-DPZ-KX/KL 72 CR bk**

Part No. **43675.101.601**  
 EAN **4251269327926**  
 Package quantity **1**  
 For max. no. of cables **72**  
 Max. cable diameter **22 mm**  
 Colour **black**  
 Length **221 mm**

Width **90 mm**  
 Height **4 mm**  
 Mounting height **4 mm**  
 Cut-out size **192 x 62 mm**  
 No. of screw holes **6**  
 Diam. of screw holes **5,1 mm**  
 Clamping range **42 x 3.2 - 6.5 mm**  
**21 x 5 - 10.2 mm**  
**6 x 9 - 16.2 mm**  
**3 x 16 - 22 mm**

**KEL-DPZ-KX/KL 72 CR (S)VOC bk**

Part No. **43675.101.600**  
 EAN **4251269327803**  
 Package quantity **1**  
 For max. no. of cables **72**  
 Max. cable diameter **22 mm**  
 Colour **black**  
 Length **221 mm**

Width **90 mm**  
 Height **4 mm**  
 Mounting height **4 mm**  
 Cut-out size **192 x 62 mm**  
 No. of screw holes **6**  
 Diam. of screw holes **5,1 mm**  
 Clamping range **42 x 3.2 - 6.5 mm**  
**21 x 5 - 10.2 mm**  
**6 x 9 - 16.2 mm**  
**3 x 16 - 22 mm**