

# KEL | Centrally split cable entry frames

for cables with connectors / IP54 / UL Type 12



The classic KEL is a centrally split cable entry system for routing cables with connectors, providing an IP54 / up to UL Type 12 rating.

The slit [KT grommet](#) matching the cable diameter is placed around the cable and inserted into the cable entry frame. The split cable entry frames KEL match exactly the cut-out dimensions of 10-, 16- and 24-pin standard industrial connectors. Either a cut-out of 36 mm or 46 mm in height can be chosen depending on the cables being routed. The size KEL-B matches the cut-out dimensions of 46 x 46 mm measuring instruments.

Based on the frame sizes KEL 16 and KEL 24, there are also extended versions with additional middle frames available. Thus allowing a quick, easy and cost effective routing solution for up to 120 cables or hoses.

For tool-free assembly / disassembly of the cable entry frames the [snap mounting frame KEL-SNAP](#) can be used.

A flat rubber gasket is included in the shipment.

**This product is available in different versions: With steel screws or stainless steel screws. It is also possible to integrate threaded bushings. Please ask us about your desired variant.**

The version with threaded bushings enables the cable entry frame to be screwed onto the housing from the inside out. This protects against vandalism and tampering with the housing from the outside.



## Specifications


|                              |   |
|------------------------------|---|
| <b>IP rating (EN 60529)</b>  | IP54  |
| <b>UL Type (UL 50E)</b>      | UL Type 12  |
| <b>Material</b>              | Polyamide   |
| <b>Flame class</b>           | UL94-V0, self-extinguishing   |
| <b>Operating temperature</b> | -40 C° to 140 C°  |
| <b>Properties</b>            | vibration proof, silicone free, anti-corrosive (V2A versions), halogen free, UV-resistant |
| <b>Mounting options</b>      | Screw type mounting, Snap-in with KEL-SNAP  |
| <b>Mounting height</b>       | 17 mm   |

## Advantages & benefits

- Warranty on pre-terminated cables remains
- Retrofits, repairs and maintenance can be done much more easily and quickly
- High cable density, wide variety of grommets
- Strain relief according to EN 62444
- High stability, vibration resistant
- Space-saving shape
- Greatly increased cable density when using double or quadruple grommets


## Product types & sizes

### KEL 24|10




|                        |                      |
|------------------------|----------------------|
| Part No.               | <b>42241</b>         |
| EAN                    | <b>4251269308277</b> |
| Package quantity       | <b>10</b>            |
| For max. no. of cables | <b>40</b>            |
| Max. cable diameter    | <b>17 mm</b>         |
| Length                 | <b>147 mm</b>        |
| Width                  | <b>58 mm</b>         |

|                                  |   |
|----------------------------------|---|
| Height                           | <b>17 mm</b>                                |
| Mounting height                  | <b>17 mm</b>                                |
| Cut-out size                     | <b>112 x 36 mm</b>                          |
| No. of screw holes               | <b>4</b>                                    |
| Diam. of screw holes             | <b>5,8 mm</b>                               |
| Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Min. cable diam., with connector |   |
| Suitable for grommets            | <b>10 x KT small</b>                        |

**KEL 24|10 V2A**


Part No. **42241.200**  
 EAN **4251269308284**  
 Package quantity **10**  
 For max. no. of cables **40**  
 Max. cable diameter **17 mm**  
 Length **147 mm**  
 Width **58 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **112 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Stainless steel (V2A)**  
 Min. cable diam., with connector  
 Suitable for grommets **10 x KT small**

**KEL 24|7**


Part No. **42247**  
 EAN **4251269308314**  
 Package quantity **10**  
 For max. no. of cables **25**  
 Max. cable diameter **35 mm**  
 Length **147 mm**  
 Width **58 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **112 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Mild steel, galvanically zinc plated**  
 Min. cable diam., with connector  
 Suitable for grommets **6 x KT small**  
**1 x KT large**

**KEL 24|7 V2A**


Part No. **42247.200**  
 EAN **4251269308321**  
 Package quantity **10**  
 For max. no. of cables **25**  
 Max. cable diameter **35 mm**  
 Length **147 mm**  
 Width **58 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **112 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Stainless steel (V2A)**  
 Min. cable diam., with connector  
 Suitable for grommets **6 x KT small**  
**1 x KT large**

**KEL 24|5**


Part No. **42248**  
 EAN **4251269308338**  
 Package quantity **10**  
 For max. no. of cables **20**  
 Max. cable diameter **35 mm**  
 Length **147 mm**  
 Width **58 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **112 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Mild steel, galvanically zinc plated**  
 Min. cable diam., with connector  
 Suitable for grommets **5 x KT small**


**KEL 24|5 V2A**

Part No. **42248.200**  
 EAN **4251269308345**  
 Package quantity **10**  
 For max. no. of cables **20**  
 Max. cable diameter **35 mm**  
 Length **147 mm**  
 Width **58 mm**


Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **112 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Stainless steel (V2A)**  
 Min. cable diam., with connector  
 Suitable for grommets **5 x KT small**

**KEL 24|4**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42244</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269308291</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>112 × 36 mm</b>                          |
| For max. no. of cables | <b>10</b>            | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector |   |
|                        |                      | Suitable for grommets            | <b>2 x KT small</b><br><b>2 x KT large</b>  |

**KEL 24|4 V2A**


|                        |                      |                                  |  |
|------------------------|----------------------|----------------------------------|--|
| Part No.               | <b>42244.200</b>     | Height                           | <b>17 mm</b>                               |
| EAN                    | <b>4251269308307</b> | Mounting height                  | <b>17 mm</b>                               |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>112 × 36 mm</b>                         |
| For max. no. of cables | <b>10</b>            | No. of screw holes               | <b>4</b>                                   |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                              |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b>               |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector |  |
|                        |                      | Suitable for grommets            | <b>2 x KT small</b><br><b>2 x KT large</b> |

**KEL 24|15-E**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42209</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269308017</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 66 mm</b>                          |
| For max. no. of cables | <b>60</b>            | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>83 mm</b>         | Min. cable diam., with connector |   |
|                        |                      | Suitable for grommets            | <b>15 x KT small</b>                        |

**KEL 24|15-E V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42209.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269308024</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 66 mm</b>           |
| For max. no. of cables | <b>60</b>            | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>83 mm</b>         | Min. cable diam., with connector |                              |
|                        |                      | Suitable for grommets            | <b>15 x KT small</b>         |

**KEL 24|12-E**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42208</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307997</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 66 mm</b>                          |
| For max. no. of cables | <b>45</b>            | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>83 mm</b>         | Min. cable diam., with connector |   |
|                        |                      | Suitable for grommets            | <b>11 x KT small</b><br><b>1 x KT large</b> |

**KEL 24|12-E V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42208.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269308000</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 66 mm</b>           |
| For max. no. of cables | <b>45</b>            | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>83 mm</b>         | Min. cable diam., with connector | <b>11 x KT small</b>         |
|                        |                      | Suitable for grommets            | <b>1 x KT large</b>          |

**KEL 24|10-E**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>49056</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269312212</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 66 mm</b>                          |
| For max. no. of cables | <b>39</b>            | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>83 mm</b>         | Min. cable diam., with connector | <b>10 x KT small</b>                        |
|                        |                      | Suitable for grommets            |   |

**KEL 24|10-E V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>49056.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269312229</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 66 mm</b>           |
| For max. no. of cables | <b>40</b>            | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>83 mm</b>         | Min. cable diam., with connector | <b>10 x KT small</b>         |
|                        |                      | Suitable for grommets            |                              |

**KEL 24|9-E**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42207</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307973</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 66 mm</b>                          |
| For max. no. of cables | <b>30</b>            | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>83 mm</b>         | Min. cable diam., with connector | <b>7 x KT small</b>                         |
|                        |                      | Suitable for grommets            | <b>2 x KT large</b>                         |

**KEL 24|9-E V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42207.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269307980</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 66 mm</b>           |
| For max. no. of cables | <b>30</b>            | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>83 mm</b>         | Min. cable diam., with connector | <b>7 x KT small</b>          |
|                        |                      | Suitable for grommets            | <b>2 x KT large</b>          |

**KEL 24|20-MT**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42232</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269308215</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 82 mm</b>                          |
| For max. no. of cables | <b>80</b>            | No. of screw holes               | <b>6</b>                                    |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>102 mm</b>        | Min. cable diam., with connector | <b>20 x KT small</b>                        |
|                        |                      | Suitable for grommets            |   |

**KEL 24|20-MT V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42232.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269308222</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 82 mm</b>           |
| For max. no. of cables | <b>80</b>            | No. of screw holes               | <b>6</b>                     |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>102 mm</b>        | Min. cable diam., with connector | <b>20 x KT small</b>         |
|                        |                      | Suitable for grommets            |                              |

**KEL 24|17-MT**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42224</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269308130</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 82 mm</b>                          |
| For max. no. of cables | <b>65</b>            | No. of screw holes               | <b>6</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>102 mm</b>        | Min. cable diam., with connector | <b>16 x KT small</b>                        |
|                        |                      | Suitable for grommets            | <b>1 x KT large</b>                         |

**KEL 24|17-MT V2A**

|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42224.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269308147</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 82 mm</b>           |
| For max. no. of cables | <b>65</b>            | No. of screw holes               | <b>6</b>                     |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>102 mm</b>        | Min. cable diam., with connector | <b>16 x KT small</b>         |
|                        |                      | Suitable for grommets            | <b>1 x KT large</b>          |

**KEL 24|14-MT**

|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42225</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269308154</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 82 mm</b>                          |
| For max. no. of cables | <b>50</b>            | No. of screw holes               | <b>6</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>102 mm</b>        | Min. cable diam., with connector | <b>12 x KT small</b>                        |
|                        |                      | Suitable for grommets            | <b>2 x KT large</b>                         |


**KEL 24|14-MT V2A**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width

**42225.200**  
**4251269308161**  
**1**  
**48**  
**35 mm**  
**147 mm**  
**102 mm**

Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets

**17 mm**  
**17 mm**  
**112 × 82 mm**  
**6**  
**5,8 mm**  
**Stainless steel (V2A)**  
**12 x KT small**  
**2 x KT large**


**KEL 24|11-MT**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width

**42222**  
**4251269308093**  
**1**  
**35**  
**35 mm**  
**147 mm**  
**102 mm**

Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets

**17 mm**  
**17 mm**  
**112 × 82 mm**  
**6**  
**5,8 mm**  
**Mild steel, galvanically zinc plated**  
**8 x KT small**  
**3 x KT large**


**KEL 24|11-MT V2A**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width

**42222.200**  
**4251269308109**  
**1**  
**35**  
**35 mm**  
**147 mm**  
**102 mm**

Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets

**17 mm**  
**17 mm**  
**112 × 82 mm**  
**6**  
**5,8 mm**  
**Stainless steel (V2A)**  
**8 x KT small**  
**3 x KT large**


**KEL 24|8-MT**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width

**42221**  
**4251269308079**  
**1**  
**20**  
**35 mm**  
**147 mm**  
**102 mm**

Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets

**17 mm**  
**17 mm**  
**112 × 82 mm**  
**6**  
**5,8 mm**  
**Mild steel, galvanically zinc plated**  
**4 x KT small**  
**4 x KT large**


**KEL 24|8-MT V2A**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width


**42221.200**  
**4251269308086**  
**1**  
**20**  
**35 mm**  
**147 mm**  
**102 mm**

Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets


**17 mm**  
**17 mm**  
**112 × 82 mm**  
**6**  
**5,8 mm**  
**Stainless steel (V2A)**  
**4 x KT small**  
**4 x KT large**

**KEL 24|30-2MT**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42234</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269308253</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 126 mm</b>                         |
| For max. no. of cables | <b>120</b>           | No. of screw holes               | <b>8</b>                                    |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>146 mm</b>        | Min. cable diam., with connector | <b>30 x KT small</b>                        |
|                        |                      | Suitable for grommets            |   |

**KEL 24|30-2MT V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42234.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269308260</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 126 mm</b>          |
| For max. no. of cables | <b>120</b>           | No. of screw holes               | <b>8</b>                     |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>146 mm</b>        | Min. cable diam., with connector | <b>30 x KT small</b>         |
|                        |                      | Suitable for grommets            |                              |

**KEL 24|27-2MT**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42233</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269308239</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 126 mm</b>                         |
| For max. no. of cables | <b>105</b>           | No. of screw holes               | <b>8</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>146 mm</b>        | Min. cable diam., with connector | <b>26 x KT small</b>                        |
|                        |                      | Suitable for grommets            | <b>1 x KT large</b>                         |

**KEL 24|27-2MT V2A**

|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42233.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269308246</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 126 mm</b>          |
| For max. no. of cables | <b>105</b>           | No. of screw holes               | <b>8</b>                     |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>146 mm</b>        | Min. cable diam., with connector | <b>26 x KT small</b>         |
|                        |                      | Suitable for grommets            | <b>1 x KT large</b>          |


**KEL 24|24-2MT**

|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42227</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269308192</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>112 × 126 mm</b>                         |
| For max. no. of cables | <b>90</b>            | No. of screw holes               | <b>8</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>147 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>146 mm</b>        | Min. cable diam., with connector | <b>22 x KT small</b>                        |
|                        |                      | Suitable for grommets            | <b>2 x KT large</b>                         |

**KEL 24|24-2MT V2A**


Part No. **42227.200**  
 EAN **4251269308208**  
 Package quantity **1**  
 For max. no. of cables **90**  
 Max. cable diameter **35 mm**  
 Length **147 mm**  
 Width **146 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **112 × 126 mm**  
 No. of screw holes **8**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Stainless steel (V2A)**  
 Min. cable diam., with connector  
 Suitable for grommets **22 x KT small**  
**2 x KT large**

**KEL 24|21-2MT**


Part No. **42226**  
 EAN **4251269308178**  
 Package quantity **1**  
 For max. no. of cables **75**  
 Max. cable diameter **35 mm**  
 Length **147 mm**  
 Width **146 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **112 × 126 mm**  
 No. of screw holes **8**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Mild steel, galvanically zinc plated**  
 Min. cable diam., with connector  
 Suitable for grommets **18 x KT small**  
**3 x KT large**

**KEL 24|21-2MT V2A**


Part No. **42226.200**  
 EAN **4251269308185**  
 Package quantity **1**  
 For max. no. of cables **75**  
 Max. cable diameter **35 mm**  
 Length **147 mm**  
 Width **146 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **112 × 126 mm**  
 No. of screw holes **8**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Stainless steel (V2A)**  
 Min. cable diam., with connector  
 Suitable for grommets **18 x KT small**  
**3 x KT large**

**KEL 24|12-2MT**

Part No. **42223**  
 EAN **4251269308116**  
 Package quantity **1**  
 For max. no. of cables **30**  
 Max. cable diameter **35 mm**  
 Length **147 mm**  
 Width **146 mm**


Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **112 × 126 mm**  
 No. of screw holes **8**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Mild steel, galvanically zinc plated**  
 Min. cable diam., with connector  
 Suitable for grommets **6 x KT small**  
**6 x KT large**

**KEL 24|12-2MT V2A**


Part No. **42223.200**  
 EAN **4251269308123**  
 Package quantity **1**  
 For max. no. of cables **30**  
 Max. cable diameter **35 mm**  
 Length **147 mm**  
 Width **146 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **112 × 126 mm**  
 No. of screw holes **8**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Stainless steel (V2A)**  
 Min. cable diam., with connector  
 Suitable for grommets **6 x KT small**  
**6 x KT large**




**KEL 16|8**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42168</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307911</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>86 × 36 mm</b>                           |
| For max. no. of cables | <b>32</b>            | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector | <b>8 x KT small</b>                         |
|                        |                      | Suitable for grommets            |   |

**KEL 16|8 V2A**

|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42168.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269307928</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>86 × 36 mm</b>            |
| For max. no. of cables | <b>30</b>            | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector | <b>8 x KT small</b>          |
|                        |                      | Suitable for grommets            |                              |

**KEL 16|5**

|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42165</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307898</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>86 × 36 mm</b>                           |
| For max. no. of cables | <b>17</b>            | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector | <b>4 x KT small</b>                         |
|                        |                      | Suitable for grommets            | <b>1 x KT large</b>                         |

**KEL 16|5 V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42165.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269307904</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>86 × 36 mm</b>            |
| For max. no. of cables | <b>17</b>            | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector | <b>4 x KT small</b>          |
|                        |                      | Suitable for grommets            | <b>1 x KT large</b>          |

**KEL 16|4**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42164</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307874</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>86 × 36 mm</b>                           |
| For max. no. of cables | <b>16</b>            | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector | <b>4 x KT small</b>                         |
|                        |                      | Suitable for grommets            |   |

**KEL 16|4 V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42164.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269307881</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>86 × 36 mm</b>            |
| For max. no. of cables | <b>16</b>            | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector |                              |
|                        |                      | Suitable for grommets            | <b>4 x KT small</b>          |

**KEL 16|2**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42162</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307850</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>86 × 36 mm</b>                           |
| For max. no. of cables | <b>2</b>             | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector |   |
|                        |                      | Suitable for grommets            | <b>2 x KT large</b>                         |

**KEL 16|2 V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42162.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269307867</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>86 × 36 mm</b>            |
| For max. no. of cables | <b>2</b>             | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector |                              |
|                        |                      | Suitable for grommets            | <b>2 x KT large</b>          |

**KEL 16|12-E**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42141</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307713</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>86 × 66 mm</b>                           |
| For max. no. of cables | <b>48</b>            | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>84 mm</b>         | Min. cable diam., with connector |   |
|                        |                      | Suitable for grommets            | <b>12 x KT small</b>                        |

**KEL 16|12-E V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42141.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269307720</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>86 × 66 mm</b>            |
| For max. no. of cables | <b>48</b>            | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>84 mm</b>         | Min. cable diam., with connector |                              |
|                        |                      | Suitable for grommets            | <b>12 x KT small</b>         |

**KEL 16|6-E**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42140</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307690</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>86 × 66 mm</b>                           |
| For max. no. of cables | <b>18</b>            | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>84 mm</b>         | Min. cable diam., with connector | <b>4 x KT small</b>                         |
|                        |                      | Suitable for grommets            | <b>2 x KT large</b>                         |

**KEL 16|6-E V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42140.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269307706</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>86 × 66 mm</b>            |
| For max. no. of cables | <b>18</b>            | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>84 mm</b>         | Min. cable diam., with connector | <b>4 x KT small</b>          |
|                        |                      | Suitable for grommets            | <b>2 x KT large</b>          |

**KEL 16|16-MT**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42145</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307775</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>86 × 82 mm</b>                           |
| For max. no. of cables | <b>64</b>            | No. of screw holes               | <b>6</b>                                    |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>102 mm</b>        | Min. cable diam., with connector | <b>16 x KT small</b>                        |
|                        |                      | Suitable for grommets            |   |

**KEL 16|16-MT V2A**

|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42145.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269307782</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>86 × 82 mm</b>            |
| For max. no. of cables | <b>61</b>            | No. of screw holes               | <b>6</b>                     |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>102 mm</b>        | Min. cable diam., with connector | <b>16 x KT small</b>         |
|                        |                      | Suitable for grommets            |                              |

**KEL 16|10-MT**

|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42144</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307751</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>1</b>             | Cut-out size                     | <b>86 × 82 mm</b>                           |
| For max. no. of cables | <b>34</b>            | No. of screw holes               | <b>6</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>120 mm</b>        | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>102 mm</b>        | Min. cable diam., with connector | <b>8 x KT small</b>                         |
|                        |                      | Suitable for grommets            | <b>2 x KT large</b>                         |


**KEL 16|10-MT V2A**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width

**42144.200**  
**4251269307768**  
**1**  
**34**  
**35 mm**  
**120 mm**  
**102 mm**

Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets

**17 mm**  
**17 mm**  
**86 × 82 mm**  
**6**  
**5,8 mm**  
**Stainless steel (V2A)**  
**8 x KT small**  
**2 x KT large**


**KEL 16|4-MT**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width

**42143**  
**4251269307737**  
**1**  
**4**  
**35 mm**  
**120 mm**  
**102 mm**

Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets

**17 mm**  
**17 mm**  
**86 × 82 mm**  
**6**  
**5,8 mm**  
**Mild steel, galvanically zinc plated**  
**4 x KT large**


**KEL 16|4-MT V2A**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width

**42143.200**  
**4251269307744**  
**1**  
**4**  
**35 mm**  
**120 mm**  
**102 mm**

Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets

**17 mm**  
**17 mm**  
**86 × 82 mm**  
**6**  
**5,8 mm**  
**Stainless steel (V2A)**  
**4 x KT large**


**KEL 16|24-2MT**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width

**42149**  
**4251269307836**  
**1**  
**96**  
**17 mm**  
**120 mm**  
**146 mm**

Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets

**17 mm**  
**17 mm**  
**86 × 126 mm**  
**8**  
**5,8 mm**  
**Mild steel, galvanically zinc plated**  
**24 x KT small**


**KEL 16|24-2MT V2A**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width

**42149.200**  
**4251269307843**  
**1**  
**96**  
**17 mm**  
**120 mm**  
**146 mm**

Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets

**17 mm**  
**17 mm**  
**86 × 126 mm**  
**8**  
**5,8 mm**  
**Stainless steel (V2A)**  
**24 x KT small**


**KEL 16|12-2MT**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width

**42148**  
**4251269307812**  
**1**  
**36**  
**35 mm**  
**120 mm**  
**146 mm**


Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets

**17 mm**  
**17 mm**  
**86 × 126 mm**  
**8**  
**5,8 mm**  
**Mild steel, galvanically zinc plated**  
**8 x KT small**  
**4 x KT large**

**KEL 16|12-2MT V2A**


Part No. **42148.200**  
 EAN **4251269307829**  
 Package quantity **1**  
 For max. no. of cables **36**  
 Max. cable diameter **35 mm**  
 Length **120 mm**  
 Width **146 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **86 × 126 mm**  
 No. of screw holes **8**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Stainless steel (V2A)**  
 Min. cable diam., with connector **8 x KT small**  
 Suitable for grommets **2 x KT large**

**KEL 16|6-2MT**


Part No. **42147**  
 EAN **4251269307799**  
 Package quantity **1**  
 For max. no. of cables **6**  
 Max. cable diameter **35 mm**  
 Length **120 mm**  
 Width **146 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **86 × 126 mm**  
 No. of screw holes **8**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Mild steel, galvanically zinc plated**  
 Min. cable diam., with connector **6 x KT large**  
 Suitable for grommets

**KEL 16|6-2MT V2A**


Part No. **42147.200**  
 EAN **4251269307805**  
 Package quantity **1**  
 For max. no. of cables **6**  
 Max. cable diameter **35 mm**  
 Length **120 mm**  
 Width **146 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **86 × 126 mm**  
 No. of screw holes **8**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Stainless steel (V2A)**  
 Min. cable diam., with connector **6 x KT large**  
 Suitable for grommets

**KEL 10|6**


Part No. **42216**  
 EAN **4251269308055**  
 Package quantity **10**  
 For max. no. of cables **24**  
 Max. cable diameter **17 mm**  
 Length **98 mm**  
 Width **58 mm**

Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **65 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Mild steel, galvanically zinc plated**  
 Min. cable diam., with connector **6 x KT small**  
 Suitable for grommets


**KEL 10|6 V2A**

Part No. **42216.200**  
 EAN **4251269308062**  
 Package quantity **10**  
 For max. no. of cables **24**  
 Max. cable diameter **17 mm**  
 Length **98 mm**  
 Width **58 mm**


Height **17 mm**  
 Mounting height **17 mm**  
 Cut-out size **65 × 36 mm**  
 No. of screw holes **4**  
 Diam. of screw holes **5,8 mm**  
 Screw material **Stainless steel (V2A)**  
 Min. cable diam., with connector **6 x KT small**  
 Suitable for grommets

**KEL 10|3**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42212</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269308031</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>65 × 36 mm</b>                           |
| For max. no. of cables | <b>9</b>             | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>98 mm</b>         | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector | <b>2 x KT small</b>                         |
|                        |                      | Suitable for grommets            | <b>1 x KT large</b>                         |

**KEL 10|3 V2A**


|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42212.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269308048</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>65 × 36 mm</b>            |
| For max. no. of cables | <b>9</b>             | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>98 mm</b>         | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector | <b>2 x KT small</b>          |
|                        |                      | Suitable for grommets            | <b>1 x KT large</b>          |

**KEL-B4**


|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42204</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307935</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>46 × 46 mm</b>                           |
| For max. no. of cables | <b>16</b>            | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>72 mm</b>         | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector | <b>4 x KT small</b>                         |
|                        |                      | Suitable for grommets            |   |

**KEL-B4 V2A**

|                        |                      |                                  |                              |
|------------------------|----------------------|----------------------------------|------------------------------|
| Part No.               | <b>42204.200</b>     | Height                           | <b>17 mm</b>                 |
| EAN                    | <b>4251269307942</b> | Mounting height                  | <b>17 mm</b>                 |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>46 × 46 mm</b>            |
| For max. no. of cables | <b>16</b>            | No. of screw holes               | <b>4</b>                     |
| Max. cable diameter    | <b>17 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                |
| Length                 | <b>72 mm</b>         | Screw material                   | <b>Stainless steel (V2A)</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector | <b>4 x KT small</b>          |
|                        |                      | Suitable for grommets            |                              |

**KEL-B1**

|                        |                      |                                  |   |
|------------------------|----------------------|----------------------------------|---|
| Part No.               | <b>42206</b>         | Height                           | <b>17 mm</b>                                |
| EAN                    | <b>4251269307959</b> | Mounting height                  | <b>17 mm</b>                                |
| Package quantity       | <b>10</b>            | Cut-out size                     | <b>46 × 46 mm</b>                           |
| For max. no. of cables | <b>1</b>             | No. of screw holes               | <b>4</b>                                    |
| Max. cable diameter    | <b>35 mm</b>         | Diam. of screw holes             | <b>5,8 mm</b>                               |
| Length                 | <b>72 mm</b>         | Screw material                   | <b>Mild steel, galvanically zinc plated</b> |
| Width                  | <b>58 mm</b>         | Min. cable diam., with connector | <b>1 x KT large</b>                         |
|                        |                      | Suitable for grommets            |   |

**KEL-B1 V2A**

Part No.  
EAN  
Package quantity  
For max. no. of cables  
Max. cable diameter  
Length  
Width

**42206.200**  
**4251269307966**  
**10**  
**1**  
**35 mm**  
**72 mm**  
**58 mm**

Height  
Mounting height  
Cut-out size  
No. of screw holes  
Diam. of screw holes  
Screw material  
Min. cable diam., with connector  
Suitable for grommets

**17 mm**  
**17 mm**  
**46 x 46 mm**  
**4**  
**5,8 mm**  
**Stainless steel (V2A)**  
**1 x KT large**

---

**icotek**<sup>®</sup>  
smart cable management