

BPK 10-pole / 16-pole / 24-pole

IP54 / IP64 / UL Type 12



10-pole / 16-pole / 24-pole terminal block with IP protection. (IP54 / IP64)
 BKPK : 10-pole

IP54

IP64

UL TYPE 12

UL US

RoHS compliant

REACH COMPLIANCE

Made in Germany

10 16 24

가용

IP (EN 60529)	IP54, IP64
UL Type (UL 50E)	UL Type 12
	UL94-V0, 1000V
	-30 C° to 110 C°
	10-pole, 16-pole, 24-pole
10-pole	10-pole

10 16 24

BPK 24




EAN	42024	10-pole	4
	4251269307	16-pole	5,5 mm
	515		
	10		
	148 mm		
	53 mm		
	10,3 mm		
10-pole	112 x 36 mm		

BPK 16

	42016	□□ □□	4
EAN	4251269307	□□□ □□	5,5 mm
	478		
	10		
	121 mm		
	53 mm		
	10,3 mm		
□□ □□□	86 × 36 mm		

BPK 10

	42015	□□ □□	4
EAN	4251269307	□□□ □□	5,5 mm
	454		
	10		
	101 mm		
	53 mm		
	10 mm		
□□ □□□	65 × 36 mm		

BPK-B

	42010	□□ □□	4
EAN	4251269307	□□□ □□	5,5 mm
	393		
	10		
	76 mm		
	53 mm		
	10,3 mm		
□□ □□□	46 × 46 mm		

BPK-JFX

EAN

42620

□□□ □□

6,9 mm

4251269309

045

5


88 mm

88 mm

9 mm

4

□□ □□



icotek[®]
smart cable management