

CONFIX™ WS 0000 00 0000



RoHS
compliant

REACH
COMPLIANCE

Made in
Germany

00 00 00000 0000 0000 0 00 00 000000 0000 000 000000.

icotek 0000 00 (NW 7.5, 8.5, 10, 13, 17, 23, 29, 37, 50) 0000 000000. NW 13 00 0000 00
CONFIX™ FWS 0000 0000 0000 0000 0 00000.

00 00 0000 0 007+ 00000.

CONFIX™ WS-PA: 00 0000 0000 0000 0000 0000 (00 0, 00, 00000, 00, 00000 0 0000 000 0)

CONFIX™ WS-PAL (light): 00 0000 0000 0000 0000 0000 (00 0, 00, 00000, 00, 00000 0 0000 00)

CONFIX™ WS-PP: 0000000 0000 (00 0, 00, 00000 0 00000 00 00)

00 0 00

- CONFIX™ WS-PA: 00 0000 00
- CONFIX™ WS-PA(L): 0000 000000 00 00 00
- CONFIX™ WS-PAL: Perfect for suspended installation
- CONFIX™ WS-PP: 00 00 00 UL94-V2
- CONFIX™ WS-PP: 00, 00000 00 00 0 000000 00 00 00

000000
0000000

UL94-HB

-40 C° to 120 C°

UV-00, high resistance against
acids/alkalis, 000000

00 00 0 00

CONFIX™ WS-B-PA-NW 7.5



EAN

31570

00 0000

6,7 mm

42512693005

30

1

50.000 mm

NW 7.5

00 0000

10 mm

CONFIX™ WS-G-PA-NW 7.5




EAN 31550 00 000 6,7 mm
42512693004
48
1
50.000 mm
00(RAL 7011)
NW 7.5
00 000 10 mm

CONFIX™ WS-B-PA-NW 8.5



EAN 31572 00 000 8,4 mm
42512693005
47
1
50.000 mm
NW 8.5
00 000 11,4 mm

CONFIX™ WS-G-PA-NW 8.5



EAN 31552 00 000 8,4 mm
42512693004
55
1
50.000 mm
00(RAL 7011)
NW 8.5
00 000 11,4 mm

CONFIX™ WS-B-PA-NW 10



EAN 31574 00 000 9,9 mm
42512693005
54
1
50.000 mm
00 000
NW 10
13 mm

CONFIX™ WS-G-PA-NW 10



EAN 31554 00 000 9,9 mm
42512693004
62
1
50.000 mm
00 (RAL 7011)
NW 10
00 000
13 mm

CONFIX™ WS-B-PA-NW 13



EAN 31576 00 000 12,7 mm
42512693005 00 00 CONFIX™ 31410
61 FWS
1
50.000 mm
00 000
NW 13
15,8 mm

CONFIX™ WS-G-PA-NW 13



EAN 31556 00 000 12,7 mm
42512693004 00 00 CONFIX™ 31411
79 FWS
1
50.000 mm
00 (RAL 7011)
NW 13
00 000 15,8 mm

CONFIX™ WS-B-PA-NW 17



EAN 31578 00 000 16,6 mm
42512693005 00 00 CONFIX™ 31413
78 FWS
1
50.000 mm
NW 17
00 000 21,2 mm

CONFIX™ WS-G-PA-NW 17



EAN 31558 00 000 16,6 mm
42512693004 00 00 CONFIX™ 31414
86 FWS
1
50.000 mm
00 (RAL 7011)
NW 17
00 000 21,2 mm

CONFIX™ WS-B-PA-NW 23



EAN 31580 23,2 mm
42512693005 CONFIX™ 31416
85 FWS
1
50.000 mm
NW 23
28,3 mm

CONFIX™ WS-G-PA-NW 23



EAN 31560 23,2 mm
42512693004 CONFIX™ 31417
93 FWS
1
50.000 mm
(RAL 7011)
NW 23
28,3 mm

CONFIX™ WS-B-PA-NW 29



EAN 31582 29 mm
42512693005 CONFIX™ 31419
92 FWS
1
25.000 mm
NW 29
34,5 mm

CONFIX™ WS-G-PA-NW 29



EAN 31562 00 000 29 mm
42512693005 00 00 CONFIX™ 31420
09 FWS
1
25.000 mm
00(RAL 7011)
NW 29
00 000 34,5 mm

CONFIX™ WS-B-PA-NW 37



EAN 31584 00 000 36 mm
42512693006 00 00 CONFIX™ 31422
08 FWS
1
25.000 mm
NW 37
00 000 42,4 mm

CONFIX™ WS-G-PA-NW 37



EAN 31564 00 000 36 mm
42512693005 00 00 CONFIX™ 31423
16 FWS
1
25.000 mm
00(RAL 7011)
NW 37
00 000 42,4 mm

CONFIX™ WS-B-PA-NW 50



EAN 31586 00 000 47,7 mm
42512693006 00 00 CONFIX™ 31425
15 FWS
1
25.000 mm

00 000 NW 50
54,5 mm

CONFIX™ WS-G-PA-NW 50



EAN 31566 00 000 47,7 mm
42512693005 00 00 CONFIX™ 31426
23 FWS
1
25.000 mm
00 (RAL 7011)
NW 50
54,5 mm

CONFIX™ WS-B-PAL-NW 7.5



EAN 31590 00 000 6,7 mm
42512693006
22
1
50.000 mm

00 000 NW 7.5
10 mm

CONFIX™ WS-B-PAL-NW 8.5



EAN 31592 00 000 8,4 mm
42512693006
39
1
50.000 mm
00 000
NW 8.5
11,4 mm

CONFIX™ WS-B-PAL-NW 10



EAN 31594 00 000 9,9 mm
42512693006
46
1
50.000 mm
00 000
NW 10
13 mm

CONFIX™ WS-B-PAL-NW 13



EAN 31596 00 000 12,7 mm
42512693006 00 00 CONFIX™ 31410
53 FWS
1
50.000 mm
00 000
NW 13
15,8 mm

CONFIX™ WS-B-PAL-NW 17



EAN 31598 00 000 16,6 mm
42512693006 00 00 CONFIX™ 31413
60 FWS
1
50.000 mm
00 000
NW 17
21,2 mm

CONFIX™ WS-B-PAL-NW 23



EAN 31600 00 000 23,2 mm
42512693006 00 00 CONFIX™ 31416
77 FWS
1
50.000 mm
00 000
NW 23
28,3 mm

CONFIX™ WS-B-PAL-NW 29



EAN 31602 00 000 29 mm
42512693006 00 00 CONFIX™ 31419
84 FWS
1
25.000 mm
00 000
NW 29
34,5 mm

CONFIX™ WS-B-PAL-NW 37



EAN 31604 36 mm
42512693006 CONFIX™ 31422
91 FWS
1
25.000 mm
NW 37
42,4 mm

CONFIX™ WS-B-PAL-NW 50



EAN 31606 47,7 mm
42512693007 CONFIX™ 31425
07 FWS
1
25.000 mm
NW 50
54,4 mm

CONFIX™ WS-B-PP-NW 7.5



EAN 31610 7,1 mm
42512693007
14
1
50.000 mm
NW 7.5
10 mm

CONFIX™ WS-B-PP-NW 8.5



EAN 31612 00 000 8,4 mm
42512693007
21
1
50.000 mm
00 000
NW 8.5
11,4 mm

CONFIX™ WS-B-PP-NW 10



EAN 31614 00 000 9,9 mm
42512693007
38
1
50.000 mm
00 000
NW 10
13 mm

CONFIX™ WS-B-PP-NW 13



EAN 31616 00 000 12,7 mm
42512693007 00 00 CONFIX™ 31410
45 FWS
1
50.000 mm
00 000
NW 13
15,8 mm

CONFIX™ WS-B-PP-NW 17



EAN 31618 00 000 16,6 mm
42512693007 00 00 CONFIX™ 31413
52 FWS
1
50.000 mm
00 000
NW 17
21,2 mm

CONFIX™ WS-B-PP-NW 23



EAN 31620 00 000 23,2 mm
42512693007 00 00 CONFIX™ 31416
69 FWS
1
50.000 mm
00 000
NW 23
28,3 mm

CONFIX™ WS-B-PP-NW 29



EAN 31622 00 000 29 mm
42512693007 00 00 CONFIX™ 31419
76 FWS
1
25.000 mm
00 000
NW 29
34,5 mm

CONFIX™ WS-B-PP-NW 37



EAN 31624 36 mm
42512693007 83 CONFIX™ 31422
1 FWS
25.000 mm
NW 37
42,4 mm

CONFIX™ WS-B-PP-NW 50



EAN 31626 47,7 mm
42512693007 90 CONFIX™ 31425
1 FWS
25.000 mm
NW 50
54,5 mm