

# CONFIX™ WST □□□ □□□ □□ □□□



CONFIX WST가 가장 더 나은 선택입니다. 가장 좋은 선택을 선택하십시오.

**KVT-W90** 선택, 더 나은 선택을 선택하십시오. 모든 선택을 선택하십시오 더 나은 선택을 선택하십시오 가장 좋습니다.

CONFIX WST 선택을 선택하십시오.

□□ □□ □□:

□□ = 1.500 mm --> □□□□ 31200.01500

□□ □□□□ □□ □□□□□□.

RoHS  
compliant

REACH  
COMPLIANCE

Made in  
Germany

□□ □ □□

■ □□□ □□□□ □□ □□

□□□□□□

-40 C° to 105 C°

UV-□□

□□ □□ □ □□

## CONFIX™ WST NW 10

EAN

**31200.xxxxx**

**1**

**NW 10**

□□ □□□

**13,6 mm**

□□ □□□

**8,7 mm**

□□ □□ (□□)

**25 mm**



**CONFIX™ WST NW 14**

EAN

**31210.xxxxx** □□ □□ CONFIX™ **31410,**  
FWS **31411**

**1**

**NW 14**

**18,5 mm**

**12,5 mm**

**35 mm**

□□ □□

□□ □□

□□ □□ (□□)



**CONFIX™ WST NW 16**

EAN

**31215.xxxxx** □□ □□ CONFIX™ **31413,**  
FWS **31414**

**1**

**NW 16**

**21,5 mm**

**16 mm**

**40 mm**

□□ □□

□□ □□

□□ □□ (□□)



**CONFIX™ WST NW 20**

EAN

**31220.xxxxx**

**1**

**NW 20**

**25,5 mm**

**19,5 mm**

**45 mm**

□□ □□

□□ □□

□□ □□ (□□)



**CONFIX™ WST NW 23**



EAN

**31230.xxxxx** □□ □□ CONFIX™ **31416,**  
FWS **31417**

**1**

**NW 23**

□□ □□

**31 mm**

□□ □□

**24,2 mm**

□□ □□ (□□)

**50 mm**

**CONFIX™ WST NW 29**



EAN

**31235.xxxxx** □□ □□ CONFIX™ **31419,**  
FWS **31420**

**1**

**NW 29**

□□ □□

**35,5 mm**

□□ □□

**27,3 mm**

□□ □□ (□□)

**90 mm**

**CONFIX™ WST NW 37**



EAN

**31240.xxxxx** □□ □□ CONFIX™ **31422,**  
FWS **31423**

**1**

**NW 37**

□□ □□

**41,4 mm**

□□ □□

**31 mm**

□□ □□ (□□)

**110 mm**

**CONFIX™ WST NW 45**

EAN

□□ □□  
□□ □□  
□□ □□ (□□)

**31250.xxxxx** □□ □□ **CONFIX™ 31425,**  
FWS **31426**

**1**  
**NW 45**  
**54 mm**  
**42,7 mm**  
**130 mm**



**CONFIX™ WST NW 70**

EAN

□□ □□  
□□ □□  
□□ □□ (□□)

**31260.xxxxx**

**1**  
**NW 70**  
**79,8 mm**  
**66,5 mm**  
**190 mm**

